

Tel: 705-721-7520 Toll free: 1-877-721-7520 www.simcoemuskokahealth.org Your Health Connection



Dr. Charles Gardner, Medical Officer of Health Dr. Colin Lee, Associate Medical Officer of Health Dr. Lisa Simon, Associate Medical Officer of Health

Universal Influenza Immunization Program (UIIP) 2015-2016

Attention: Physicians, Nurse Practitioners, Long-Term Care Facilities, Rest & Retirement Homes, Walk-in Clinics, Hospitals, Infection Control Practitioners, Hospital Occupational Health Nurses, Hospital Pharmacies, Correctional Facilities, Participating Health Care Agencies, Participating UIIP Pharmacies

Date: October 6, 2015

When are publicly-funded Influenza vaccines expected to be available for pick-up from the SMDHU?

Any influenza vaccine distributed between October 13th – October 23rd is to be administered to those in the priority groups outlined on page 2 only. The general population can begin receiving their influenza vaccine starting the week of October 26th.

Who can order vaccine	Who Vaccine is for	Order By	Ready for Pick Up
 Primary care providers Long Term Care Homes Hospitals Rest & Retirement Homes 	Only those included in the priority groups on page 2	Thursday October 8 th	Tuesday October 13 th
 Primary care providers Long-Term Care Homes Hospitals Pharmacies Nursing Agencies Workplaces All other agencies required to prequalify with the MOHLTC 	General population	Thursday October 22 nd	Tuesday October 27 th

Please note: we have changed the ordering deadlines for influenza vaccines. Only orders submitted on this year's influenza Vaccine Order Form attached to this Health Fax will be filled. While we will do our best to fill orders as requested, quantities and products included in your orders may have to be altered based on inventory available.

Unfortunately we do not have a way of tracking balances remaining that were not filled on previous orders. If you require additional vaccine beyond what you received in your order, you will need to submit another vaccine order along with your updated temperature logs.

If you have a special request, or are ordering larger than a 1-2 week supply of vaccine, please use the box at the bottom of the order form to provide additional details.

If you pick up vaccine at the **Barrie, Midland, Collingwood or Cookstown** offices \rightarrow use the Barrie - Influenza Vaccine Order Form and fax orders to 705-792-3835.

If you pick up vaccine at our *Gravenhurst, Orillia or Huntsville* offices \rightarrow use the *Gravenhurst – Influenza Vaccine Order Form* and fax orders to 705-684-9834.

All other vaccines need to be ordered as per our regular ordering timelines and on our standard *Vaccine Order Form*.

Influenza Immunization Recommendations for the 2015-2016 Season

The World Health Organization (WHO) has recommended trivalent influenza vaccines for the 2015-2016 influenza season, (northern hemisphere winter) contain the following:

- A/California/7/2009 (H1N1)pdm09-like virus
- A/Switzerland/9715293/2013 (H3N2)-like virus
- B/Phuket/3073/2013-like virus

It is recommended that quadrivalent vaccines containing two influenza B viruses contain the above three viruses and a B/Brisbane/60/2008-like virus.

The National Advisory Committee for Immunization (NACI) Statement on Seasonal Influenza Vaccine for 2015-2016 can be found on the Public Health Agency of Canada website at: http://www.phac-aspc.gc.ca/naciccni/index-eng.php#rec

Who is eligible for publicly-funded influenza vaccine in Ontario for the 2015-2016 Season?

Influenza vaccine is recommended for everyone six months of age and older, providing they do not have a medical contraindication to receiving the vaccine.

As in previous years health care providers are to focus their initial influenza vaccine supply on those in the following **priority groups**:

Individuals at high risk of influenza-related complications and more likely to require hospitalization:

- Young children under five years of age (especially those younger than two years of age);
- Children (age 6 months to 18 years) with neurologic or neurodevelopmental conditions or undergoing treatment with acetylsalicylic acid for long periods;
- Adults 65 years of age and older;
- Individuals of any age who are residents in long-term care home (LTCH) or other chronic care facilities;
- Individuals with underlying health conditions (e.g., cardiac/pulmonary disorders, renal disease, morbid obesity, diabetes and cancer or weakened immune systems);
- Pregnant women; and
- Aboriginal Peoples.

Individuals capable of transmitting influenza to those at high risk:

- Health care workers;
- Household contacts of those at high risk; and
- Persons who provide child care to kids less than five years of age.

In addition, the ministry strongly recommends that **swine and poultry industry workers** receive influenza immunization as early as possible.

Pregnancy and Breastfeeding

Influenza vaccination is recommended for all pregnant women regardless of trimester and women who are breastfeeding. Live Attenuated Influenza vaccine (LAIV) known as Nasal Spray flu vaccine should not be used in pregnant women, as it is a live vaccine and is contraindicated in pregnancy.

Individuals with an Egg Allergy

NACI has concluded that egg-allergic individuals may be vaccinated against influenza using inactivated trivalent or quadrivalent influenza vaccine without a prior influenza vaccine skin test and with the full dose. The vaccine may be given in any setting where vaccines are routinely administered. However, immunizers administering the vaccine should be prepared for and have the necessary equipment to respond to a vaccine emergency at all times.

Page 2

What are the publicly funded influenza vaccine products in Ontario for 2015-2016?

For the 2015/2016 UIIP, Ontario will offer quadrivalent influenza vaccines and trivalent influenza vaccine, for specific age groups:

	Agriflu [®] / Fluviral [®]	Influvac [®]	Fluad [®]	FluLaval Tetra [®] / Fluzone Quadrivalent [®]
Vaccine Formulation	Trivalent inactivated vaccine (TIV)	Trivalent inactivated vaccine (TIV)	Trivalent inactivated vaccine (adjuvanted) (TIV-adjuvanted)	Quadrivalent inactivated vaccine (QIV)
Dosage	0.5mL	0.5mL	0.5mL	0.5mL
Route of Administration	Intramuscular Injection	Intramuscular Injection	Intramuscular Injection	Intramuscular Injection
Age Indication	6 months and older*	18 years and older	65 years and older	6 months through 17 years
Potential Allergens	Agriflu: Fluviral: Egg protein^ Kanamycin Thimerosal Neomycin	Egg protein^ Chicken protein Gentamicin	Egg protein^ Chicken protein Kanamycin Neomycin	FluLaval: Fluzone: Egg protein^ Thimerosal
Package Description	Multi-dose vial	Single-dose syringe	Single-dose syringe	Multi-dose vial
Once punctured, discard vial after	28 days	n/a	n/a	FluLaval: Fluzone: 28 days expiry date on vial
Package Dimensions (L x W x H)	3cm x 3cm x 7cm	18.8cm x 15.2cm x 1.7cm	10.8cm x 10.2cm x 4.4cm	3cm x 3cm x 6cm

* Unless specifically requested the TIVs are primarily targeted to adults 18 years of age and older.

^ Egg allergy is not a contraindication to receiving inactivated influenza vaccines.

Specific Age Groups Eligible for the Publicly Funded Influenza Vaccine:

Age Group	Recommended Vaccine	Alternative Vaccine
6 months through 17 years	QIV	TIV [§] (if requested or if QIV is not available)
18 years and older	TIV	None
65 years and older who reside in LTCH	TIV-adjuvanted	TIV (if requested or if TIV-adjuvanted is not available)

[§] If giving TIV to someone less than 18 years of age, only Agriflu[®] and Fluviral[®] can be used as Influvac® is only indicated for 18+.

*Children less than nine years of age who are receiving seasonal influenza vaccine for the first time this year are to receive two doses of 0.5 ml, with a minimum interval of four weeks between the first and second dose. The second dose is not needed if the child has received one or more doses of the seasonal influenza vaccine during a previous influenza season. Ideally QIV is used for both doses to provide broader protection, and ideally the same product is used for both doses. However, if the same product is not available, any influenza vaccine can be given for the second dose.

To access the product monographs for the publicly funded influenza vaccine products, please visit the manufacturer websites:

Publicly Funded Influenza Vaccine	Influenza Vaccine Manufacturer	Manufacturer Web Link for Product Monograph
Influvac [®] (TIV)	BGP Pharma	www.abbott.ca
Agriflu [®] (TIV) Fluad [®] (TIV-adjuvanted)	Novartis Canada	www.novartis.ca
Fluviral [®] (TIV) FluLaval Tetra [®] (QIV)	GlaxoSmithKline Inc.	www.gsk.ca
Fluzone Quadrivalent® (QIV)	Sanofi Pasteur	www.sanofipasteur.ca

Page 3

Where can the public access their flu shots this year?

- At their primary care provider's office
- At a pharmacy most pharmacies have pharmacists that are certified to administer flu vaccine or they
 may host flu clinics. Encourage clients to check with their local pharmacy
 Note: children under five years of age cannot be immunized by pharmacists.
- At a workplace clinic if offered through their employer
- At the health unit. We will be offering a limited number of appointments for families with children less than five years, for persons who do not have a HCP, and for those with no Ontario Health Card Number

The MOHLTC has a flu clinic locator tool which can be accessed from the Simcoe Muskoka District Health Unit (SMDHU) website, where people can locate all clinics and pharmacies offering flu vaccination.

Other Important Information When Ordering Influenza Vaccine

1. Each time you order influenza vaccine, you must submit by fax your temperature log sheet(s) for the previous four weeks. Temperature readings must be done and recorded in the log book twice a day every day. These temperature log sheets are reviewed by the SMDHU prior to vaccine being released.

Note for facilities that were required to prequalify: After your fridge inspection, the health unit will require five consecutive days of BID fridge temperatures that must be between 2-8°C before your initial order can be filled.

- 2. We require that all providers only stock a one to two week supply of influenza vaccine. This is in order to prevent large amounts of vaccine wastage as a result of a power outage or fridge malfunction.
- 3. In the event of a cold chain failure please report to the health unit immediately at 705-721-7520 ext. 8806.
- 4. If returning influenza vaccine to the health unit, please complete the attached Vaccine Return Form and submit with the vaccine being returned.
- 5. Syringes/needles, and separate needles are **not** supplied with influenza vaccines. Please ensure you have a stock of appropriate sized syringes (3cc) and needles (25-gauge 1-inch and 25-gauge 1 ½ inch needles). Prefilled syringes do not come with needle tips.

We are still awaiting direction from the MOHLTC about this year's reporting requirements for Hospitals, LTCHs, pharmacies and the vaccine utilization reports and invoices. We will post these forms to our website as soon as they are available.

For more information, support materials and forms refer to the following websites:

- <u>www.smdhu.org/pcportal</u> for information for primary care providers
- <u>www.smdhu.org/JFY/HealthProfessionals</u> for information for LTCH, Retirement Homes & Hospitals
- <u>http://www.ontario.ca/flu</u> Ministry of Health and Long-Term Care Universal Influenza Immunization Program

Reporting of Adverse Events

The attached *Adverse Event Following Immunization (AEFI)* form must be filled out and faxed back to the Vaccine Preventable Disease team for follow-up immediately following an unexpected adverse event: **Fax #: 705-726-3962**.

If you have any questions regarding the vaccine ordering process please contact the Vaccine Preventable Disease Program at 705-721-7520 or toll free at 1-877-721-7520 ext. 8808.