

HB Quick Reference –School and Public Clinics

**Consent form returned and indicates YES for HB.*

Student HB Status	HB Recommendations	Communication & Documentation
No previous HB		
Age 11-15 years	<ul style="list-style-type: none"> 2 doses HB - 6 months apart 	<ul style="list-style-type: none"> Document as received. Send home <i>Notice of Immunization</i> form.
Age 16-19 years	<ul style="list-style-type: none"> 3 doses HB - 0, 1, 6 month 	
Complete		
<ul style="list-style-type: none"> HB series <ul style="list-style-type: none"> 0, 1, 6 months 0, 1, 2, 12 Twinrix® <ul style="list-style-type: none"> Junior- 0, 1, 6 Adult-0, 6-12 Adult 0, 1, 6 Adult 0, day 7, day 21, month 12 Hexavalent series (DTaP-HB-IPV-Hib or INFANRIX hexa™) given as infant (2, 4, 6 months). 	<ul style="list-style-type: none"> Give nothing 	<ul style="list-style-type: none"> Update event status as previously immunized. Document dates in Panorama. Attach previously immunized sticker to <i>Notice of Immunization</i> form.
Immunized as an Infant		
<ul style="list-style-type: none"> 1 valid dose <ul style="list-style-type: none"> 1 dose given 2 doses with incorrect intervals 2 valid doses <ul style="list-style-type: none"> 2 doses with correct intervals 	<ul style="list-style-type: none"> 2 doses of 1.0mL HB (5 months apart) 1 dose of 1.0mL HB. 	<ul style="list-style-type: none"> Ensure dates provided are entered into Panorama. Document as received. Send home <i>Notice of Immunization</i> form.
Incomplete Twinrix® series - Parent declines to complete Twinrix® series		
<ul style="list-style-type: none"> 1 valid dose of Adult Twinrix® <ul style="list-style-type: none"> 1 dose given 2 doses given less than 6 months apart 2 valid doses of Junior Twinrix® <ul style="list-style-type: none"> 2 doses given at correct intervals 3 doses given with incorrect timing 1 valid doses of Junior Twinrix® <ul style="list-style-type: none"> 1 dose given 2 or 3 doses given with incorrect timing. 	<ul style="list-style-type: none"> 1 dose of 1.0mL HB <i>if parent does not want to complete Twinrix® series.</i> To be given in Public Clinic only *2 doses of 0.5mL HB (5 months apart) <i>if parent does not want to complete Twinrix® series.</i> 	<ul style="list-style-type: none"> Ensure dates provided are entered into Panorama. Document as received (if applicable). Send home <i>Notice of Immunization</i> form Ensure dates provided are entered into Panorama. Arrange for any required follow up.
Incomplete School Vaccine series- For School & Public Clinic Use		
<ul style="list-style-type: none"> 1 valid dose <ul style="list-style-type: none"> 11-15 years of age and rec'd 1 dose 1 valid dose prior to 16 years of age <ul style="list-style-type: none"> 16-19 years of age and rec'd 1 dose 1 valid dose (received prior to turning 16) <ul style="list-style-type: none"> 20 years of age or older and rec'd 1 dose 	<ul style="list-style-type: none"> 1 dose of 1.0mL HB – 6 months from dose 1. After minimum interval of 1 month from valid dose, give 2 doses of 0.5mL HB (5 months apart). After minimum interval of 1 month from valid dose, give 2 doses of 1.0mL HB (5 months apart). 	<ul style="list-style-type: none"> Ensure dates provided are entered into Panorama. Document as received. Arrange for any required follow up.