



Dr. Charles Gardner, Medical Officer of Health Dr. Colin Lee, Associate Medical Officer of Health Dr. Lisa Simon, Associate Medical Officer of Health

# Nasal Spray Flu Vaccine for Children

Attention: Physicians, Infection Control Practitioners, Nurse Practitioners, Walk-In Clinics, Hospitals, Hospital Occupational Health Nurses, Hospital Pharmacies, Participating Health Care Agencies, Participating UIIP Pharmacies, Correctional Facilities

**Date:** October 16, 2015

On October 13, 2015 the Ministry of Health and Long-Term Care (MOHLTC) announced that the intranasal quadrivalent live attenuated influenza vaccine (Q-LAIV), Flumist® Quadrivalent, will be available as part of the Ontario Universal Influenza Immunization Program (UIIP) this season.

While this vaccine is approved for use in those 2 - 59 years of age, it is only publicly funded (free) in Ontario for those 2 through 17 years of age. According to the National Advisory Committee on Immunization (NACI), this is the preferred vaccine over Quadrivalent Influenza Vaccine (QIV) or Trivalent Influenza Vaccine (TIV) in children 2 - 5 years of age. This nasal spray flu vaccine, like the injectable QIV (Fluzone® Quadrivalent or FluLaval® Tetra) offers protection against an additional B strain of influenza over the traditional three strain influenza vaccine, which affects children and youth more frequently than adults.

This vaccine will only be available in limited supply until early to mid-November therefore we are required to restrict orders as follows:

Who can order Q-LAIV vaccine?		Who Vaccine is for?	Order By	Ready for Pick Up	
	mary care providers spitals	2 - 5 year olds with no contraindications to this vaccine as below	Thursday October 22, 2015	Tuesday October 27, 2015	
<ul> <li>Hos</li> <li>Pha</li> <li>All or req</li> </ul>	mary care providers spitals armacies other agencies juired to prequalify h the MOHLTC	2 - 17 year olds with no contraindications to this vaccine as below	Thursday November 5, 2015	Tuesday November 10, 2015	

#### Flumist® Quadrivalent (Q-LAIV) should <u>not</u> be given to the following people:

- While TIV & QIV can be given to egg allergic people, Q-LAIV should not be given to egg allergic individuals, as egg allergy has not yet been studied for Q-LAIV.
- Children less than 24 months of age, due to increased risk of wheezing.
- Individuals with severe asthma, as defined as currently on oral or high dose inhaled glucocorticosteroids or active wheezing, or those with medically attended wheezing in the seven days prior to vaccination.

- Children and adolescents, 2 17 years of age currently receiving aspirin or aspirin-containing therapy because of the association of Reye's syndrome with aspirin and wild-type influenza infection. It is recommended that aspirin-containing products in children less than 18 years of age be delayed for four weeks after receipt of Q-LAIV.
- Pregnant women, because it is a live attenuated vaccine and there is a lack of safety data at this time. However, it is not contraindicated in breastfeeding mothers.
- Persons with immune compromising conditions, due to underlying disease, therapy, or both, as the vaccine contains live attenuated virus.
- Taking a medication active against influenza (influenza antiviral medication).
- Has developed Guillain-Barre syndrome within six weeks of a previous flu vaccination.
- As a precautionary measure, Q-LAIV recipients should avoid close association with persons with severe immune compromising conditions (e.g. bone marrow transplant recipients requiring isolation) for at least two weeks following vaccination, because of the theoretical risk for transmitting a vaccine virus and causing infection.

### About Flumist® Quadrivalent (Q-LAIV) Vaccine

Dosage	0.2mL (0.1mL in each nostril)		
Potential Allergens	Arginine		
	Egg protein		
	Gelatin		
	Gentamicin		
Package Dimensions	10.6cm x 17.6cm x 2.9cm		

# For more information on Flumist® Quadrivalent, including administration information, please refer to the Product Monograph or the following resources:

http://www.smdhu.org/pcportal - for information for primary care providers

http://www.bccdc.ca/imm-vac/ForHealthProfessionals/flumistvideo.htm - Flumist® how-to-administer video from the British Columbia Centre for Disease Control (BCCDC)

http://www.bccdc.ca/NR/rdonlyres/8A5D2719-A235-4B5E-8EF9-88378A3EB129/0/BCCDC QA FOR LAIV Revised NOV26FINAL.pdf - Flumist® Q and A from BCCDC

www.ontario.ca/flu - Ministry of Health and Long-Term Care Universal Influenza Immunization Program

Attached you will find updated Influenza Vaccine Order forms that include Q-LAIV.

If you pick up vaccine at the **Barrie, Midland, Collingwood or Cookstown** offices  $\rightarrow$  use the Barrie - Influenza Vaccine Order Form and fax orders to 705-792-3835.

If you pick up vaccine at our *Gravenhurst, Orillia or Huntsville* offices  $\rightarrow$  use the *Gravenhurst - Influenza Vaccine Order Form* and fax orders to 705-684-9834.

If you have any questions regarding the **vaccine ordering process** please contact the Vaccine Preventable Disease Program at 705-721-7520 or toll free at 1-877-721-7520 ext. 8808.

If you have any questions regarding **influenza vaccines** please contact the Vaccine Preventable Disease Program at 705-721-7520 or toll free at 1-877-721-7520 ext. 8806.

Page 2



### Barrie Influenza Vaccine Order Form For Barrie, Midland, Collingwood & Cookstown area Barrie Fax: 705-792-3835

Facility Name:		ne #:	Facility Fax #:					
Facility Contact:	# of	Fridges: Ty	pe: 🗆 Bar 🗆 Domestic 🗆	□ Purpose Built □ Other				
<ul> <li>Tuesday morning</li> <li>Orders must include</li> <li>Order no more than</li> </ul>	<b>m Tuesday</b> for pick up the fol e the <b>previous 4 week</b> tempe n a <b>1 – 2 week</b> supply iries 1-877-721-7520 ext. <b>880</b>	erature log	RGENT requests due to UNEX e details below e current Influenza vaccine inv s must be between 2 - 8 °C fo	ventory				
Premise Type:								
Physician Office	Retirement Home	Correctional Facility	U Workplace	□ Nursing Agency				
Hospital	□ Long-term care home	□ Pharmacy	Community Health Ctr	□ Other				
Based on Ministry's distribution and supply of vaccine, the health unit cannot guarantee the amount or type of vaccine released to facilities, therefore HCPs should be prepared with appropriate supplies.								
Influenza Vaccines			Current # of Doses in your fridge	Requested # of Doses				
QIV* - FluLaval/Flu • Only for those 6 m Q-LAIV* - Flumist • Preferred vaccing • Publicly funded for Influvac - Preloaded • Indicated for those Fluad - Preloaded • For LTCH resident *TIV = Trivalent Influence	e 18 yrs+ those 6 mths – 17 yrs if no uzone – 10 dose vial mths through 17 yrs c Quadrivalent – prefille e for 2 to 5 year olds or those 2 through 17 years ed syringe /10 doses per se 18 yrs+ only syringe /10 doses per nts ≥65 yrs only za Vaccine; protects against 2							
	luenza Vaccine; protects agai t Live Attenuated Influenza Va							
For high volume scheduled influenza clinic(s) or urgent influenza orders, please provide details.								
Location to be picked Barrie Co VIM Order # (for office use Confidentiality Notice:	Ilingwood Cookstow	n 🗌 Midland		2015-10-14				

The contents of the document(s) accompanying this facsimile transmission are confidential and intended only for use by the individual(s) named above. It may contain information that is privileged, confidential, or otherwise protected from disclosure. <u>Any review, dissemination or use of this transmission</u> or its contents by persons other than the addressee is strictly prohibited.



## Gravenhurst Influenza Vaccine Order Form For Gravenhurst, Orillia & Huntsville area Gravenhurst Fax: 705-684-9834

Facility Name:		ne #:	Facility Fax #:					
Facility Contact:		Fridges: Tyj	oe: 🗆 Bar 🗆 Domestic 🗆	Purpose Built				
<ul> <li>Place orders by 3pm Tuesday for pick up the following Tuesday morning</li> <li>Orders must include the previous 4 week temperature log</li> <li>Order no more than a 1 – 2 week supply</li> <li>Vaccine order inquiries 1-877-721-7520 ext. 8808</li> <li>For URGENT requests due to UNEXPECTED demands, provide details below</li> <li>Include current Influenza vaccine inventory</li> <li>Coolers must be between 2 - 8 °C for vaccine to be released</li> </ul>								
Premise Type:								
□ Physician Office	□ Retirement Home	Correctional Facility	Workplace	□ Nursing Agency				
□ Hospital	□ Long-term care home	□ Pharmacy	Community Health Ctr	□ Other				
Based on Ministry's distribution and supply of vaccine, the health unit cannot guarantee the amount or type of vaccine released to facilities, therefore HCPs should be prepared with appropriate supplies.								
Influenza Vaccines			Current # of Doses in your fridge	Requested # of Doses				
QIV* - FluLaval/Flu Only for those 6 r Q-LAIV* - Flumist Preferred vaccine Publicly funded for Influvac - Preloaded Indicated for those Fluad - Preloaded For LTCH resident *TIV = Trivalent Influenz *QIV = Quadrivalent Influenz	e 18 yrs+ hose 6 mths – 17 yrs if no Jzone – 10 dose vial mths through 17 yrs Quadrivalent – prefille e for 2 to 5 year olds or those 2 through 17 years ed syringe /10 doses per se 18 yrs+ only syringe /10 doses per hts ≥65 yrs only za Vaccine; protects against 2 luenza Vaccine; protects against 2 luenz		de details.					
Location to be picked	up (please check):	Orillia						
VIM Order # (for office use Confidentiality Notice:	e only):	_		2015-10-14				

The contents of the document(s) accompanying this facsimile transmission are confidential and intended only for use by the individual(s) named above. It may contain information that is privileged, confidential, or otherwise protected from disclosure. <u>Any review, dissemination or use of this transmission</u> or its contents by persons other than the addressee is strictly prohibited.