

VACCINE FACTS

Pneumococcal Conjugate (Pneu-13) (Pevnar®13)

The Pneu-C-13 vaccine protects against infection caused by 13 types of the pneumococcus bacteria, Streptococcus pneumonia.



Who should get this vaccine? ^{1,3}

This vaccine is routinely given to all infants at 2, 4 and 12 months of age.

This vaccine is only available publicly funded (free) for children up to 5 years of age and those 50 years of age and older in the following high risk groups:

- Anyone who has had a hematopoietic stem cell transplant.
- Anyone with HIV.
- Sickle cell.
- Anyone without a spleen or whose spleen is not working well.
- Congenital immunodeficiencies.
- Long term use of immunosuppressants.
- Malignant growths (tumours).
- Solid organ or islet transplant.

This vaccine may be recommended for others based on risk factors, however they would have to purchase this vaccine.

How well does this vaccine work? ^{1,3}

- 86-97% of healthy children between the ages of 2-59 months are protected with this vaccine.

Is there an alternative to this vaccine?

At this time there are no other ways to prevent this disease.

Hand washing and covering the mouth and nose while coughing/sneezing can help reduce the spread of disease.

Is this vaccine safe?

The risk of a serious reaction or side effect from this vaccine is much less than the risk of pneumococcal disease.

If you experience any side effect worse than what is listed below, please seek medical advice and notify the health unit.

Common side effects of this vaccine ^{1,3}	Less common side effects of this vaccine ^{1,3}	Rare side effects of this vaccine ^{1,3}
<ul style="list-style-type: none">• Pain where needle was given.• Redness.• Swelling.• Irritability• Decreased appetite• Drowsiness• Low grade fever• Fatigue• Headache	<ul style="list-style-type: none">• Seizures (febrile or not)	<ul style="list-style-type: none">• Arthus-like reaction (severe pain, swelling, hard lump where needle was given, edema, haemorrhage and occasionally dead tissue).• Anaphylaxis

Who should not receive this vaccine? ^{1,3}

- Anyone with an allergy to any of the vaccine components or who has had an allergic or anaphylactic reaction to this vaccine.
- Anyone who has received Pneumovax®23 in the last year.

What is in this vaccine? ²

Prevnar®13	Also found in...
Sodium chloride	Table salt
Aluminum	Breast milk, infant formula
Diphtheria toxoid	Other vaccines
Polysorbate 80	Ice cream
Succinic acid	Cosmetics, food additive

We ask you to:

Check: Your child's yellow immunization card or health record.

Contact: Your child's family physician or health-care provider to obtain records, or to get missing vaccinations.

Share: Visit our website to share your immunization record with us.



References:

1. Canadian Immunization Guide. Part 4-Active Vaccines. Ottawa: Public Health Agency of Canada; 2019.
2. Canadian Immunization Guide. Part 1-Key Immunization Information. Table 1: Types and contents of vaccines available for use in Canada. Ottawa: Public Health Agency of Canada; 2019.
3. Moore, D. Your Child's Best Shot (4th ed.). Canadian Paediatric Society, 2015.