Weekly Influenza News



Week 14: April 1 to April 7, 2018

Week in Review:

Influenza Activity Indicator	Assessment of Indicator*	Interpretation			
® Reported cases	Higher	22 local lab-confirmed case reported in week 14; 17 cases reported in week 13			
Percent Positive of Flu Specimens [†]	Similar	Simcoe Muskoka: - flu A (16.1%); flu B (12.9%) Ontario: - flu A (12.5%); flu B (9.5%)			
⊗ <u>Local Institutional Outbreaks</u>	Lower	No institutional influenza outbreak was declared in week 14. Sixty influenza outbreaks reported for the season to date.			
Local Emergency Department respiratory visits: week 14	Similar	Percentage of visits is similar compared to previous week and similar compared to same period in the 2016/17 season			
Week 14 Overall Assessment April 1 to April 7, 2018		Reported Activity Level: Localized			
	Similar	14 new cases of Flu A reported 8 new cases of Flu B reported			
Predominant Influenza Strains: Influenza A (H3N2), Influenza B\Phuket (Yamagata lineage)					

Notes: Reported activity level is based on the weekly submission of Appendix C to Public Health Ontario. Definition available here.

^{*}Compared to previous surveillance week

[†] Reported for week 13

Reported Local Influenza Cases

In Simcoe Muskoka, there have been **877 lab-confirmed influenza cases reported** as of 10 April 2018; 22 (3%) of which were reported in week 14 – this was higher compared to week 13.

Of the 523 reported influenza A cases, only 199 have been subtyped:

- 183/199 (92%) are influenza A, H3 strain
- 16/199 (8%) are influenza A, H1N1 pdm09

Table 1: Summary of influenza cases for 2017/18 season

Lab-confirmed Influenza Cases	Week 14		Season-to-Date		
	N	%	N	%	
Influenza A	14	64%	523	60%	
Influenza B	8	36%	354	40%	
Influenza A & B	0	0%	0	0%	
Total	22	100%	877	100%	
Notes: Data source: Communicable Disease Intake Database, extracted on April 10, 2018.					


[₱] Figure 2 and Figure 3 below provide historic comparisons

Age Distribution

For the season-to-date, 59.6% of cases have been reported in individuals aged 65 and older. The corresponding age-specific rates are 329.3 cases per 100,000 population (65-84 years) and 1731.0 cases per 100,000 population (85+ years), respectively. While only 2% of cases were reported in the <1 years of age group, the age-specific rates is 337.1 cases per 100,000 population.


Median age of reported flu cases: 71 years

Figure 1: Number and Age-specific Rate of Influenza Cases by Age Group, Simcoe Muskoka, September 2017 to present



Historical Comparison

Figure 2: Reported Influenza Cases, Type A, Current Influenza Season with Historical Comparison, Simcoe Muskoka



Simcoe Muskoka Influenza Cases (Sporadic and Outbreak-Related): Type B, 2014/15 to 2017/18 100 90 80 2016-2017 Cases 70 2015-2016 2014-2015 60 Current Number of 50 40 30 20 10 0 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 1 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 Jan 2018 Feb 2018 Mar 2018 Sep 2017 Oct 2017 Nov 2017 Dec 2017 Apr 2018 May 2018 Jun 2018 Jul 2018 2018 Reported Week* Data Source: iPHIS database, extracted April 10, 2018 *Case counts are based on reported date. Reported date is on average 7-10 days after onset date. For comparability between years, the surveillance week number is used in this graph. The alignment with the dates for the 2017-18 influenza season is provided for reference. Week 1 always corresponds with the week in which January 1 lands.

Figure 3: Reported Influenza Cases, Type B, Current Influenza Season with Historical Comparison, Simcoe Muskoka


Percent positivity

Note: Percent positivity is reported with one week lag and does not included week 14.

The percentage of flu specimens that are positive (<u>percent positivity</u>) for Influenza A and Influenza B has peaked for the season. The provincial percent positivity for influenza A in week 13 was reported at 12.5%, which is similar to week 12. Influenza B percent positivity was reported at 9.5% for week 13.

Locally for week 13, percent positivity for influenza A was reported at 16.1%, while influenza B was 12.9%.

Figure 4: Percent Positivity, Influenza A & B, Simcoe Muskoka & Ontario, 2017/18




Institutional Respiratory Outbreaks

There have been 60 lab-confirmed institutional flu outbreaks in Simcoe Muskoka since September 1, 2017:

- Influenza A: 37 outbreaks
- Influenza B: 21 outbreaks
- Influenza A and B: 2 outbreaks


Figure 5: Institutional Outbreaks by Respiratory Pathogen, Simcoe Muskoka, 2017/18



Local Emergency Department Visits

Emergency department visits for respiratory syndrome in Simcoe Muskoka accounted for 10.8% of visits in week 14. This is similar compared to week 13, and similar compared to the same point in the 2016/17 season.

Figure 6: Emergency Department Visits for Respiratory Syndrome at Participating Simcoe Muskoka Hospital, 2016/17, 2017/18 Seasons



Data Source: Acute Care Enhanced Surveillance (ACES) System, extracted April 09, 2018

The above data is provided through Acute Care Enhanced Surveillance (ACES), an emergency department (ED) syndromic surveillance system managed by <u>KFLA Public Health Informatics</u> for participating Ontario hospitals. Six hospitals participate in Simcoe Muskoka.

[^] Respiratory syndrome is defined as "respiratory infection non croup, non bronchiolitis. Includes sore throat, cough, cold, ear infection, blocked ear, earache etc". This syndrome does not include influenza-like illness, which is "fever, myalgia, undifferentiated flu".

^{*}Participating hospitals are: RVH, OSMH, MAH (Bracebridge and Huntsville), GBGH and CGMH. Includes Simcoe Muskoka residents and visitors.

As of Oct. 2016, an additional local hospital began feeding data to ACES; comparison of previous crude counts with the current counts should not be made.

Vaccine Match and Influenza Strains

The trivalent 2017-2018 influenza vaccine contains the following strains:

- A/Michigan/45/2015 (H1N1)pdm09-like virus;
- A/Hong Kong/4801/2014 (H3N2)-like virus; and
- B/Brisbane/60/2008-like virus.

Table 2: Local, Provincial and National Matched and Mismatched Flu Specimens and National Match Percent, 2017-18

Influenza Strains	Number of Specimens with Strain Characterization Results		National Match	
	Ontario	Canada	Percent [†]	
Influenza A Vaccine Strains				
Influenza A (H3N2) A/Hong Kong/4801/2014-like	154	322	62%	
Influenza A (H1N1) A/Michigan/45/2015-like	75	200	38%	
Influenza B Vaccine Strains				
B/Brisbane/60/2008-like	8	57	4%	
B/Phuket/3073/13-like (Quad vaccine only)	499	1312	96%	

Data Source: Ontario and Canada Counts: Public Health Ontario Respiratory Pathogen Report, Table 7: Strain characterization completed on influenza isolates at the National Microbiology Laboratory Surveillance week 50, extracted April 10, 2018.

Provincial and national counts are reported with one week lag and do not include the most recently completed surveillance week. Surveillance weeks can be found <u>here</u>.

† Non-vaccine match strains are not reported. Percent match is based on antigenically similar strains. As of week 13, an additional 862 specimens did not grow to sufficient hemagglutination titers for antigenic characterization, but were found to be of the same genetic group as A/Hong Kong/4801/2014-like virus through sequence analysis.

Technical Notes

Definitions

<u>Percentage positivity</u>: the number of positive flu cases divided by the number of specimens tested at Public Health Ontario Labs

Reported activity level: the level of influenza activity that is reported to Public Health Ontario by Simcoe Muskoka, based on influenza cases and outbreaks. Definitions available here.

<u>Surveillance week</u>: The week number corresponding to the week of year, running Sunday to Saturday, inclusive, for reporting influenza activity. January 1 always falls within week 1. A list of the current season's surveillance weeks can be found here.

Limitations

Timeliness:

The provincial data are from one week previous because that is the most recent data available.

The hospital data, local counts of influenza, and outbreaks are current to date.

The number of cases listed in a given surveillance week may change as more information becomes available

Case-Follow-up and iPHIS Data Entry:

While Public Health Ontario only requires detailed information on every fifth case of influenza reported to SMDHU, the health unit investigates all hospitalized influenza cases in order to ensure accurate adverse outcomes and subtyping data is available.

Case Reporting:

Sporadic cases do not accurately describe all cases of influenza as those cases reported are skewed towards individuals more likely to seek medical care and be tested (e.g. young, elderly and immunocompromised).

Additional Resources

Simcoe Muskoka

- Influenza Fact Sheet
- Influenza HealthSTATS page

Provincial

- Ontario Respiratory Pathogen Bulletin
- Public Health Ontario Laboratory Respiratory Pathogen Surveillance Reports
- ILI Mapper

Week 13 Provincial Summary: For the 2017-2018 surveillance season to week 13, 16,507 laboratory-confirmed influenza cases have been reported across Ontario, 426 (2.6%) of which were reported in week 13. Among cumulative cases, 54.3% (8970/16507) were influenza A. Of the 2532 reported influenza A cases with subtype information available, 93.8% (2374/2532) were H3N2 and 6.2% (158/2532) were (H1N1)pdm09.

(Source: Public Health Ontario Respiratory Pathogen Bulletin, Surveillance Week 13, extracted April 10, 2018)

National

Public Health Agency of Canada FluWatch

International Resources

WHO Global Influenza Surveillance and Response System